Message

From: Sierra-Lopez, Omar [Sierra-Lopez.Omar@epa.gov]

Sent: 3/13/2020 4:12:41 PM

To: O'Connor, Darcy [oconnor.darcy@epa.gov]

CC: Minter, Douglas [Minter.Douglas@epa.gov]; Varilek, Kimberly [Varilek.Kimberly@epa.gov]; Robinson, Valois

[Robinson.Valois@epa.gov]; Bahrman, Sarah [Bahrman.Sarah@epa.gov]

Subject: Re: SRST request for UIC Consultation

Darcy,

I will do my best to get a meeting earlier than 1PM, on APR 28th with the tribe.

I will explain that you will need to leave Ft Yates before 2PM to ensure you are in the airport 2 hours prior to the flight departure approximately 5PM.

Regards,

Omar Sierra-Lopez

Physical Scientist (Environmental)

U. S. Environmental Protection Agency (Region 8)

Underground Injection Control Program

Mail Code: 8WD-SDU 1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone 303.312.7045

EPA Region 8 UIC website:

http://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy

From: O'Connor, Darcy <oconnor.darcy@epa.gov>

Sent: Friday, March 13, 2020 10:00 AM

To: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>

Cc: Minter, Douglas < Minter. Douglas@epa.gov>; Varilek, Kimberly < Varilek. Kimberly@epa.gov>; Robinson, Valois

<Robinson.Valois@epa.gov>; Bahrman, Sarah <Bahrman.Sarah@epa.gov>

Subject: RE: SRST request for UIC Consultation

Hi Omar. I would have to be on the 5 pm flight back, so the meeting couldn't be much longer than an hour (assuming we are meeting in Ft. Yates). I'm concerned we wouldn't be leaving enough time. Valois/Kim – your thoughts?

Thanks

D

From: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>

Sent: Friday, March 13, 2020 8:38 AM

To: O'Connor, Darcy <oconnor.darcy@epa.gov>

Cc: Minter, Douglas < Minter. Douglas@epa.gov>; Varilek, Kimberly < Varilek. Kimberly@epa.gov>; Robinson, Valois

<Robinson.Valois@epa.gov>; Bahrman, Sarah <Bahrman.Sarah@epa.gov>

Subject: Fw: SRST request for UIC Consultation

Good morning Darcy,

The SRST Chairman would like to meet at 1PM on the 28th. Will this work for you? See Allyson's response below.

Regards,

Omar Sierra-Lopez
Physical Scientist (Environmental)

U. S. Environmental Protection Agency (Region 8)
Underground Injection Control Program
Mail Code: 8WD-SDU
1595 Wynkoop Street
Denver, Colorado 80202-1129
Phone 303.312.7045

EPA Region 8 UIC website:

http://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy

From: Allyson Two Bears atwobears@standingrock.org

Sent: Thursday, March 12, 2020 9:55:24 AM

To: Sierra-Lopez, Omar < Sierra-Lopez. Omar@epa.gov>

Subject: Re: SRST request for UIC Consultation

Spoke to the Chairman. The 28th will work but can we schedule for 1pm? They have Council meeting scheduled for the morning.

Sent from my iPhone

On Mar 6, 2020, at 11:40 AM, Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov> wrote:

Allyson: Our Director Darcy O'Connor will be able to be there April 28. Is it possible to set up a meeting at 10AM April 28th?

Regards,

Omar Sierra-Lopez
Physical Scientist (Environmental)

U. S. Environmental Protection Agency (Region 8)
Underground Injection Control Program
Mail Code: 8WD-SDU
1595 Wynkoop Street
Denver, Colorado 80202-1129

Phone 303.312.7045

EPA Region 8 UIC website:

http://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy

From: Allyson Two Bears atwobears@standingrock.org

Sent: Friday, February 28, 2020 1:48 PM

To: Sierra-Lopez, Omar < Sierra-Lopez. Omar@epa.gov>

Subject: SRST request for UIC Consultation

Good afternoon

I visited with our Chairman and legal on availability of dates for the Dewey Burdock consultation. So we have the following dates available; the week of March 23-27th or April 28th. We can follow up next week when you have a chance to review the schedule. Thanks and have a great week end.

Allyson Two Bears

Director/Environmental Specialist

Tribal Hazard Mitigation Officer

Department of Environmental Regulations/EPA

Standing Rock Sioux Tribe

1200 94th St

PO Box 516

Fort Yates, ND 58538

701.854.3823 (Office)

701.854.8500 ext 3806 (Direct Ext)

701.854.3841 (Fax)

701.934.2152 (Cell)